

A laboratory seed treater designed for complex treatments to meet high demands regarding application quality, reliability, operator safety and economy.

Suited for use in the laboratory on a wide variety of applications.

Equipped to meet your needs for dressing, incrustation, coating and pelleting.

The R150 is ideally suited to defining production parameters prior to production.

NoroGard R150 Laboratory Seed Treater



BATCH SIZE

40-450 ml

R150 is a laboratory seed treater designed for treating a wide range of seeds with a wide range of products, formulated as liquids, powders, flowables, slurries, gels, etc. It treats seed batches up to 450 ml.

NoroGard 
sophisticated seed treatment

NoroGard R150

Laboratory Seed Treater



The R150 is equipped with a variable speed on rotor and spinning disc as standard.

The coated product is discharged by inverting the mixing chamber.

R150

R150 is a laboratory seed treater designed for treating a wide range of seeds with a range of products, formulated as liquids, powders, flowables, slurries, gels, etc. It treats in batches up to 450 ml.

The application time is manually operated and varies depending on the amount of product that is to be applied, and the type of seed to be treated.

The R150 is provided with features to make the cleaning process more effortless. The use of air pressure is optional for each use, based on the type of seed treated at the time.

The R150 is approved for the European CE workers safety standard.

For more information, please contact your local sales representative.

NOROGARD

NoroGard AB is based in Sweden where we develop and have been producing high quality Seed Treatment Equipment since 1965.

The NoroGard Batch Seed Treater was the first on the market. We have since then continued the development of the batch treater and high quality seed treatment equipment. Today the NoroGard Seed Treaters have a sophisticated control system and NoroGard Diaphragm pumps.

Personal service and customization is a keystone at NoroGard. NoroGard delivers sophisticated Seed Treaters worldwide with personal support. NoroGard seed treaters are built to last for twenty years, should a standstill occur in spite of this, we always keep your spareparts in stock.




NoroGard AB, Agnesfridsvägen 184 B7
S-213 75 Malmö, SWEDEN
+46 411-49150 • mail@norogard.com
www.norogard.com

TECHNICAL SPECIFICATION

Power requirement	0,37 kW	Weight	50 kg
Compressed air (at 5,5 bar)	20 l/min	Width	750 mm
Capacity (batch volume)	40-450 ml	Depth	420 mm
RPM		Height	800 mm
Rotor Speed	100-500 rpm	Warranties	Orgalime S2012
Spinning Disc	500-2500 rpm		
Outlet	Manually operated		

NOROGARD R 150 LABORATORY SEED TREATER • MEASUREMENTS





Sophisticated seed treatment